

CATALOGUE







#### WHO ARE WE?



WE ARE THE PIONEER BRAND IN INTRODUCING PVC ROOF TILES IN PANAMA. WE SEEK TO TRANSFORM THE ROOFING INDUSTRY BY OFFERING A SOLID AND DURABLE ALTERNATIVE THAT INTEGRATES THE LATEST TECHNOLOGIES IN MATERIALS ENGINEERING.

OUR COMMITMENT TO INNOVATION AND EXCELLENCE LEADS US TO CONSTANTLY SEEK NEW WAYS TO IMPROVE OUR PRODUCTS AND SERVICES, AND WE FOCUS ON PROVIDING EXCEPTIONAL CUSTOMER SERVICE IN EVERY INTERACTION.



YEAR FOUNDED:



2017 170,000 M<sup>2</sup>



COMPLETED **PROJECTS** 

+700




OUR PRODUCTS ARE WARRANTED FOR MANUFACTURING DEFECTS ONLY, WE DO NOT OFFER WARRANTY ON DAMAGE DUE TO IMPROPER INSTALLATION OR DETERIORATION OVER TIME.




#### CHEMICAL COMPOSITION





ASA SMART RESIN CHEMICAL FORMULATION ENABLES COLORS TO KEEP THEIR BRILLIANCE AND AVOID CRYSTALLIZATION, WITHSTANDING WEATHER CONDITIONS, AND AGING OF SHEETS.

ASA (ACRYLIC, NITRILE-VINYL CHLORIDE) IS A TYPE OF POLYMER WITHIN ENGINEERING AND HOLDS AN EXCEPTIONAL RESISTANCE TO WITHSTAND SEVERE WEATHER CONDITIONS; WHILE PVC (POLYVINYL CHLORIDE) IS A PERFECT CHEMICAL COMBINATION FOR UNIQUE DURABILITY.




PVG MIDDLE LAYERS ARE OF EXCELLENT RESISTANCE TO CORROSION AND HUMIDITY. ALSO, ADD HIGH-QUALITY ANTI FUNGICIDES AND ALLOWS PRODUCTS TO BE 100% RECYCLABLE.

ASA OUTER LAYER IS ALSO OF EXCELLENT RESISTANCE TO CHEMICAL CORROSION WHICH PROVIDES COLOR QUALITY AND DURABILITY TO PRODUCTS OVER TIME.



#### BENEFITS







LONG LIFE.



DO NOT RUST.



FIRE RESISTANT PROPERTIES.



LIGHT WEIGHT.



THERMO-ACOUSTIC ISOLATION.



EASY INSTALLATION.

#### SPANISH ROOF SHEETS





LIGHTWEIGHT 6 KG/M2, ACOUSTIC AND THERMAL INSULATION 40%, 100 KG LOADING CAPACITY WITH DOLLYS AT 60 - 90 CMS AWAY FROM EACH OTHER, PROVEN WITH FIRE, WATER, HUMIDITY AND CORROSION. CERTIFIED BY ISO9001 AND ISO14001.

- WIDTH: 1050 MM.
- LENGTH: 2,409 M. (8')\*
  3,066 M. (10')\*
  5,694 M. (18.68')
- THICKNESS: 3.0 MM.

#### **AVAILABLE COLOURS**



# TOS CM. TOTAL 3 CM. 16 CM.

95 CM. USEFUL



<sup>\*</sup>SIZES AVAILABLE ONLY FOR SPECIAL ORDERS OF LARGE VOLUME.

#### **CORRUGATED ROOF SHEETS**





LIGHTWEIGHT 6 KG/M2, ACOUSTIC AND THERMAL INSULATION 40%, 100 KG LOADING CAPACITY WITH DOLLYS AT 60 - 90 CMS AWAY FROM EACH OTHER, PROVEN WITH FIRE, WATER, HUMIDITY AND CORROSION. CERTIFIED BY ISO9001 AND ISO14001.


- WIDTH: 1130 MM.
- LENGTH: 5.80 M. (19)
- THICKNESS: 3.0 MM.

#### **AVAILABLE COLOURS**



WHITE

#### DRAWING





#### TRAPEZOIDAL ROOF SHEETS





LIGHTWEIGHT 6 KG/M2, ACOUSTIC AND THERMAL INSULATION 40%, 100 KG LOADING CAPACITY WITH DOLLYS AT 60 - 90 CMS AWAY FROM EACH OTHER, PROVEN WITH FIRE, WATER, HUMIDITY AND CORROSION. CERTIFIED BY ISO9001 AND ISO14001.

- WIDTH: 1130 MM. 1035 MM.
- LENGTH: 5.80 M.
- THICKNESS: 3.0 MM.

#### **AVAILABLE COLOURS**








WHITE

LIGHT GREY

BLUE

#### DRAWING








#### INSTALLATION DRAWING











Superior Ridge	Length x Width x High (mm)	Ridge	Length x Width x High (mm)
	1000x300	A. I	1000x300
Eave Edge	Length x Width x High (mm)	90 degree deflector	Length x Width x High (mm)
	1000x300		-
Flashing Lateral	Length x Width x High (mm)	Climate board Type 160	Length x Width x High (mm)
	-		2000x160x140
90 degree eave board type 120	Length x Width x High (mm)	Vertical Flashing	Length x Width x High (mm)
	2000x120x120	No. of Concession, Name of Street, or other Persons, Name of Street, or ot	1130×200×180





### WE MAKE SHIPPING



## TO THE ENTIRE COUNTRY.





#### **OUR PROJECTS**





**BOCAS DEL TORO PROVINCE** 

PROVINCIA DE COLÓN



PROVINCE OF COLÓN

**BOCAS DEL TORO PROVINCE** 



PROVINCE OF PANAMA

PROVINCE OF PANAMA



PROVINCE OF COLÓN

PROVINCE OF COLÓN



#### **OUR CLIENTS**





































PANA ROOF® RESERVES THE RIGHT TO MODIFY THIS DOCUMENT AT ANY MOMENT WITHOUT PREVIOUS NOTICE, FOR THE SAKE OF DEVELOPING AND CONTINUOUSLY IMPROVING ITS PRODUCTS.







